AMENDMENTS TO THE CLAIMS

Please amend claims 1, 3, 4, 34, 35, 38, 40, 41, and 55, and cancel claims 5-9, 11, 13, 15, 19-22, 33, 36, 37, 39, 42-46, 48, 50, 52, and 56-59, such that the status of the claims is as follows:

- 1. (Currently Amended) A solid cleaning composition, comprising:
 - (a) one or more functional ingredients including at least one of a chelating agent; a sequestering agent; an inorganic detergent; an alkaline source; an organic detergent; a surfactant; a cleaning agent; a rinse aid; a bleaching agent; a sanitizer; an anti-microbial agent; an activator; a detergent builder; a filler; a defoaming agent; an anti-redeposition agent; an optical brightener; a dye; an odorant; a secondary hardening agent; a solubility modifier; a pesticide; a bait for pests; or mixtures or combinations thereof; and
 - (b) a solid binding agent distributed throughout the solid cleaning composition for binding the one or more functional ingredients, the solid binding agent comprising hydroxyethylethylenediaminetriacetic acid (HEDTA) and water, wherein the HEDTA cooperates with the water in the formation of the binding agent, wherein the solid binding agent is free of carbonate, wherein the mole a ratio of HEDTA to water by weight is in the range of at least about 3:1, 1:6.25 to about 1:1; and HEDTA constitutes about 15% to about 93% by weight of a total weight of the solid cleaning composition.
 - wherein the composition includes less than a solidification interfering amount of a component that can compete with the HEDTA for water and interfere with solidification.
- 2. (Canceled)

First Named Inventor: Roger L. Stolte Application No.: 10/717,729

-3-

3. (Currently amended) The composition of claim 1, wherein the mole ratio of HEDTA to water by weight present to form the binding agent is in the range of at least about 3.5:11:5.88 to about 1:1.06.

4. (Currently amended) The composition of claim 1, wherein the mole ratio of HEDTA to water present to form the binding agent is in the range of constitutes about 17.5% 1:3.125 to about 93% 1:1.35 by weight of the total weight of the solid cleaning composition.

5-9. (Canceled)

10. (Original) The composition of claim 1, wherein the composition further comprises sodium tripolyphosphate.

11. (Canceled)

12. (Original) The composition of claim 1, wherein the composition further comprises a linear alcohol.

13. (Canceled)

14. (Original) The composition of claim 1, wherein the composition further comprises a linear alkylate sulfonate.

15. (Canceled)

16. (Original) The composition of claim 1, wherein the composition further comprises an alkali metal salt.

17. (Original) The composition of claim 1, wherein the composition further comprises an alkali metal silicate.

18. (Previously presented). The composition of claim 1, wherein the composition includes less than a weight ratio of about 20.3:1 of tripolyphosphate over HEDTA to water.

19-22. (Canceled)

- 23. (Original) The composition of claim 1, wherein the composition is extruded to form a solid block.
- 24. (Original) The composition of claim 1, wherein the composition is formed into a solid mass having a weight in the range of 50 grams or less.
- 25. (Original) The composition of claim 1, wherein the composition is formed into a solid mass having a weight in the range of 50 grams or greater.
- 26. (Original) The composition of claim 1, wherein the composition is formed into a solid mass having a weight in the range of 500 grams or greater.
- 27. (Original) The composition of claim 1, wherein the composition is formed into a solid mass having a weight in the range of 1 kilogram or greater.
- 28. (Original) The composition of claim 1, wherein the composition is cast into a solid shape.
- 29. (Original) The composition of claim 1, wherein the composition is extruded into a solid shape.

Application No.: 10/717,729

-5-

- 30. (Original) The composition of claim 1, wherein the composition is formed into a solid shape.
- 31. (Original) The composition of claim 1, wherein the solid is in the form a pellet.
- 32. (Original) The composition of claim 1, wherein the composition is in the form of a solid block formed within a container.
- 33. (Canceled)

First Named Inventor: Roger L. Stolte

- 34. (Currently Amended) A solid cleaning composition produced by the process comprising:

 providing one or more functional cleaning ingredients including at least one of a

 chelating agent; a sequestering agent; an inorganic detergent; an alkaline

 source; an organic detergent; a surfactant; a cleaning agent; a rinse aid; a

 bleaching agent; a sanitizer; an anti-microbial agent; an activator; a detergent

 builder; a filler; a defoaming agent; an anti-redeposition agent; an optical

 brightener; a dye; an odorant; a secondary hardening agent; a solubility

 modifier; a pesticide; a bait for pests; or mixtures or combinations thereof;

 providing hydroxyethylethylenediaminetriacetic acid (HEDTA) such that the

 HEDTA constitutes about 15% to about 93% by weight of a total weight of
 the solid cleaning composition;
 - providing water, wherein such that a the ratio of HEDTA to water by weight is in the range of at least about 3:11:6.25 to about 1:1; and
 - admixing the one or more functional cleaning ingredients, the HEDTA, and the water such that the HEDTA and water-cooperate to form a solid binding agent distributed throughout the solid cleaning composition for that is free of earbonate and that binds binding the one or more functional cleaning ingredients within the solid cleaning composition; and

Application No.: 10/717,729

wherein the composition includes less than a solidification interfering amount of a component that can compete with the HEDTA for water and interfere with solidification.

35. (Currently Amended) The solid cleaning composition of claim 34, wherein the mole ratio of HEDTA to water by weight provided to form the binding agent is in the range of at least about 3.5:1 1:5.88 to about 1:1.06.

-6-

- 36. (Canceled)
- 37. (Canceled)
- 38. (Currently Amended) A method of forming a solid <u>cleaning</u> composition, the method comprising:
 - providing one or more functional cleaning ingredients including at least one of a chelating agent; a sequestering agent; an inorganic detergent; an alkaline source; an organic detergent; a surfactant; a cleaning agent; a rinse aid; a bleaching agent; a sanitizer; an anti-microbial agent; an activator; a detergent builder; a filler; a defoaming agent; an anti-redeposition agent; an optical brightener; a dye; an odorant; a secondary hardening agent; a solubility modifier; a pesticide; a bait for pests; or mixtures or combinations thereof; providing hydroxyethylethylenediaminetriacetic acid (HEDTA) such that the
 - HEDTA constitutes about 15% to about 93% by weight of a total weight of the solid cleaning composition;
 - providing water, wherein such that a the ratio of HEDTA to water by weight is in the range of at least about 3:11:6.25 to about 1:1; and

-7-

admixing the one or more functional cleaning ingredients, the HEDTA, and with the water such that the HEDTA and cooperates with the water in the formation of form a solid binding agent that is free of carbonate distributed throughout the solid cleaning composition for binding the one or more functional cleaning ingredients within the solid cleaning composition; and

wherein the solid composition includes less than a solidification interfering amount of a component that can compete with the HEDTA for water and interfere with solidification.

39. (Canceled)

- 40. (Currently Amended) The method of claim 38, wherein the mole-ratio of HEDTA to water by weight present to form the binding agent is in the range of at least about 3.5:11:5.88 to about 1:1.06.
- 41. (Currently Amended) The method of claim 38, wherein the mole ratio of HEDTA to water present to form the binding agent is in the range of constitutes about 17.5% 1:3.125 to about 93% 1:1.35 by weight of the total weight of the solid cleaning composition.

42-46. (Canceled)

47. (Original) The method of claim 38, wherein the composition further comprises sodium tripolyphosphate.

48. (Canceled)

49. (Original) The method of claim 38, wherein the composition further comprises a linear alcohol.

Application No.: 10/717,729

- 50. (Canceled)
- 51. (Original) The method of claim 38, wherein the composition further comprises a linear alkylate sulfonate.

-8-

- 52. (Canceled)
- 53. (Original) The method of claim 38, wherein the composition further comprises an alkali metal salt.
- 54. (Original) The method of claim 38, wherein the composition further comprises an alkali metal silicate.
- 55. (Currently Amended) The method of claim 38, wherein the composition includes less than a weight ratio of about 20.3:1 of tripolyphosphate over HEDTA to water.
- 56-59. (Canceled)
- 60. (Original) The method of claim 38, wherein the composition is extruded to form a solid block.
- 61. (Original) The method of claim 38, wherein the composition is formed into a solid mass having a weight in the range of 50 grams or less.
- 62. (Original) The method of claim 38, wherein the composition is formed into a solid mass having a weight in the range of 50 grams or greater.

-9-

63. (Original) The method of claim 38, wherein the composition is formed into a solid mass having a weight in the range of 500 grams or greater.

64. (Original) The method of claim 38, wherein the composition is formed into a solid mass having a weight in the range of 1 kilogram or greater.

65. (Original) The method of claim 38, wherein the composition is cast into a solid shape.

66. (Original) The method of claim 38, wherein the composition is extruded into a solid shape.

67. (Original) The method of claim 38, wherein the composition is formed into a solid shape.

68. (Original) The method of claim 38, wherein the solid is in the form of a pellet.

69. (Original) The method of claim 38, wherein the solid composition is in the form of a solid block formed within a container.